International Computers Limited

MULTIPLE EXCHANGEABLE DISC STORE

GENERAL SPECIFICATION

C

No. 1111511
Sheet 1
Control sheet

Iss	No. of sheets	Affected sheets and alterations	Design auth.	C.E.S.O. or Q.A.	Design comm.	Change notice	Date
1	93	Experimental Release	PGW			XR457/32	2.70
1	93	Production Release	DB			P498/16	6.71

Note. Throughout this document the number in the left hand column denotes where and at what issue changes have been made.

©International Computers Limited 1969 Printed in Great Britain by ICL Printing Services Letchworth

Iss

CONTENTS

Section		Sheet
1	GENERAL	5
1.1	MEDS General Description	6
1.2	Related Documents	7
1.3	Configuration	7
1.4	System Parameters and Performance	9
1.4.1	Disc Pack	9
1.4.2	Disc Drive Unit	9
1.4.3	Capacity	9
1.4.4	Cyclic Check System	10
1.4.5	Store Transfer Times	11
1.4.5.2	Data Transfer Crisis Times	11
1.4.5.3	Command Sequence Crisis Time	11
2	FUNCTIONAL SPECIFICATION	12
2.1	Method of Recording	12
2.2	IBM 2314 Disc Track Format	13
2.2.1	Home Address	13
2.2.2	Record 0-N	15
2.2.2.1	Count Area	15
2.2.2.2	Key Area	17
2.2.2.3	Data Area	17
2.2.3	Record 0 and Defective Areas	18
2.2.4	IBM 2314 Overflow Records	18
2.2.5	Gap Areas	19
2.2.6	Cyclic Check Bytes	21
2.2.7	Format Calculations	22
2.3	Activate and Order Code	24
2.3.1	Summary	24
2.3.2	Activate Codes	25
2.3.3	Unit Address Activate	26
2.3.4	Engineer Data Activate	27
2.3.5	Start Chain Activate	28
2.3.5.1	General Operation of Chains	29
2.3.5.2	Contents of Chain List	31
	(a) Word 0 - Gap Count/Sync Byte	31
	(b) Word 1 - Channel Order	32
	(c) Word 2 - Data Store Address	33
	(d) Word 3 - Data Store Count	34
	(e) Word 4 - Successful Pointer	35
	(f) Word 5 - Unsuccessful Pointer	35

©International Computers Limited 1969 Printed in Great Britain by ICL Printing Services Letchworth

Iss

Contents (contd)

Section		Sheet
2.3.5.3	General Operation of Channel Orders	36
2.3.5.4	Channel Orders	38
2.3.5.5	Write Count	39
2.3.5.6	Write Key	40
2.3.5.7	Write Data	41
2.3.5.8	Search Home Address	42
2.3.5.9	Search Count	43
2.3.5.10	Search Key	44
2.3.5.11	Search Data	45
2.3.5.12	Read Home Address	46
2.3.5.13	Read Count	47
2.3.5.14	Read Key	48
2.3.5.15	Read Data	49
2.3.5.16	Erase	50
2.3.5.17	Special Read	51
2.3.5.18	Diagnostic Data	52
2.3.5.19	Stop at Index	53
2.3.5.20	Data Store Address Constant	54
2.3.5.21	Interrupt Bit	55
2.3.5.22	Chain Bit	56
2.3.5.23	Index Check Bit	56
2.3.6	Unit Order 1 and 2 Activates	57
2.3.6.1	Sequence of Orders for Head Movement	58
2.3.6.2	Cylinder Select	59
2.3.6.3	Difference Select	59
2.3.6.4	Control Select	60
	(a) Seek Forward or Reverse	60
	(b) Return to Zero	60
	(c) Disconnect	60
2.3.6.5	Head Select	61
2.3.6.6	Release and Reserve	62
2.3.6.7	Reset Reserve	62
2.3.7	Status Activate	63
2.3.7.1	Channel Status	65
2.3.7.2	Unit Status	72
2.3.8	General Reset Activate	76
2.3.9	Stop Chain Activate	77
2.4	Interrupts	78
2.4.1	Level 1 Interrupt	78
2.4.2	Level 3 Interrupt	79
2.5	Operator Controls	80
2.5.1	Application Module Controls	80
2.5.2	Disc Drive Unit Controls	81

© International Computers Limited 1969 Printed in Great Britain by ICL Printing Services Letchworth

Iss

Contents (contd)

Section		Sheet
2.5.2.1	Start Button	81
2.5.2.2	Hold Button	81
2.5.2.3	Stop Button	81
2.5.2.4	Fault Button	81
2.5.2.4	Indicators	83
2.5.2.5	Start (Green)	83
2.5.2.6	Hold (Yellow)	83
2.5.2.7	Ready (Green)	83
2.5.2.8	Engineer (Red)	84
2.5.2.9	Fault (Yellow)	84
2.5.2.10	Logic Address (White)	84
2.6	Engineer Facilities	85
2.6.1	Application Module Controls	85
2.6.2	DDU Controls	86
2.6.2.1	On Line/On-Line Test/Off Line Switch	86
2.6.2.2	Fault Select	86
2.6.2.3	Clear Fault	86
2.6.3	Application Module Displays	87
2.6.4	DDU Displays	88
2.6.4.1	Cylinder Number Indicator	88
2.6.4.2	Running Time Meter	88
2.6.4.3	Fault Select Lamp	88
3.0	Physical Aspects	89
3.1	Dimensions and Weight	89
3.2	Installation	89
3.3	Mains Supply	89
3.4	Environment	90
4.0	Reliability	91
4.1	Mean Time Between Failures	91

Appendix A - MEDS Software Package (Present 1900 Environment) 92

©International Computers Limited 1969 Printed in Great Britain by ICL Printing Services Letchworth